ID [[uid]]
Bedrijfsnaam[[company]]
Contact [[name]]
Emailadres [[email]]

HP Servers Refurbished September 2026



NTS Computers Technology BV
Tel. +31 (0)165 319100

Web https://www.nts.nl/
verkoop@nts.nl

Geachte heer/mevrouw,

Hieronder vindt u selectie van onze ex-lease HP Servers, extra voordelige Servers waar u nog jaren lang gebruik van kunt maken.
Vraag onze verkopers naar alle verschillende uitbreidingsmogelijkheden waarmee we deze stations voor u op maat kunnen maken.

Met vriendelijke groet,

NTS Computers Technology BV



HPE Apollo K6000 Enclosure

Model:	**HPE Apollo K6000 24-Bay Multi-Node Enclosure Gen10**	**Garantie Refurb:**	**2 Jaar pick-up en return**	**Raid:**	**Optional (0, 1, 5, 10 per node)**
Behuizing:	**12U Rackmount Enclosure**	**HDD type:**	**SSD (SATA or NVMe), SAS/SATA 2.5"**	**Netwerk:**	**Integrated Intel chipset, Gigabit /10GbE options, 2x RJ-45 ports per node**
Processor max:	**Up to 2x per XL230k server (total 48 CPUs across 24 nodes)**	**HDD max:**	**2x or 4x drives per XL230k; max 61TB SATA SSD aggregate**	**Stroomvoorziening:**	**6x 2400W Hot-Plug power supplies**
Processor type:	**Intel Xeon Scalable Processors Gold 1st/2nd Gen**	**Blade Bays:**	**24x HPE ProLiant XL230k Gen10 server trays**	**Afmetingen:**	**52.8 x 44.5 x 80 cm**
Geheugen type:	**DDR4 ECC RDIMM/LRDIMM: Gold Gen1: 2666MHz, Gold Gen2: 2933MHz**	**Power Modules:**	**6x Hot-plug power modules**	**Gewicht:**	**95 kg**
Geheugen max:	**Up to 16 slots per XL230k; max 1TB per node (24TB total with LRDIMM)**	**Ext. Ports:**	**USB, VGA, Serial, iLO Management Port (per node)**	**Specificaties:**	**HPE Apollo K6000 24-Bay Multi-Node Enclosure Gen10**

Model	Omschrijving	1+	5+
168113011	HPE Apollo K6000 Enclosure, 6x 2650W PSU, 10Gb Passthrough, Management Module, 24x HPE ProLiant XL230k Gen10 Server with 2x Xeon Gold 6148 (20C, 2.4GHz), 128GB (8x16GB), 2x 480GB SATA SSD, 2-Port HPE	**32949.00**	**32849.00**
168113019	HPE Apollo K6000 Enclosure, 6x 2650W PSU, 10Gb Passthrough, Management Module, 24x HPE ProLiant XL230k Gen10 Server with 2x Xeon Gold 6240R (24C, 2.4GHz), 128GB (4x32GB), 2x 480GB SATA SSD, 2-Port HPE	**36069.00**	**35969.00**
168113014	HPE Apollo K6000 Enclosure, 6x 2650W PSU, 10Gb Passthrough, Management Module, 24x HPE ProLiant XL230k Gen10 Server with 2x Xeon Gold 6254 (18C, 3.1GHz), 256GB (8x32GB), 2x 800GB SATA SSD, 2-Port HPE	**62029.00**	**61929.00**
168113018	HPE Apollo K6000 Enclosure, 6x 2650W PSU, 10Gb Passthrough, Management Module, 24x HPE ProLiant XL230k Gen10 Server with 2x Xeon Gold 6248R (24C, 3.0GHz), 256GB (8x32GB), 2x 960GB SATA SSD, 2-Port HPE	**67639.00**	**67539.00**

HP C7000 16-Bay Blade BL460c Gen9

Model:	**HP C7000 16-Bay Blade BL460c Gen9**	**Garantie Refurb:**	**2 Jaar pick-up en return**	**Raid:**	**Optional (0, 1, 5, 10 per blade)**
Behuizing:	**10U Rackmount Enclosure**	**HDD type:**	**SSD (SATA), SAS/SATA 2.5"**	**Netwerk:**	**Integrated Intel chipset, Gigabit /10GbE options, 2x RJ-45 ports per blade**
Processor max:	**Up to 2x per BL460c server (total 32 CPUs across 16 blades)**	**HDD max:**	**2x 2.5" SFF drives per blade; total 32x 2.5" across 16 blades**	**Stroomvoorziening:**	**6x 2400W Hot-Plug**
Processor type:	**Intel Xeon E5-2600 v4 Family**	**Blade Bays:**	**16x HPE ProLiant BL460c Gen9 server blades**	**Afmetingen:**	**44.5 x 73.0 x 81.3 cm**
Geheugen type:	**DDR4 ECC RDIMM/LRDIMM: Xeon E5 v4: 2400MHz**	**Power Modules:**	**6x Hot-plug power modules**	**Gewicht:**	**92 kg**
Geheugen max:	**16 slots per BL460c; max 1TB per blade (16TB total with LRDIMM)**	**Ext. Ports:**	**USB, VGA, Serial, iLO Management Port (per blade)**	**Specificaties:**	**HP C7000 16-Bay Blade BL460c Gen9**

Model	Omschrijving	1+	5+
168165000	HP Enclosure C7000 incl.: 2x 432904-001 Cisco 3020, 16x Blade 460C Gen9, 2x Xeon E5-2690 v4 (14C, 2.6GHz), 128GB (8x16GB), 2x 240GB SATA SSD (HP)	**11779.00**	**11679.00**
168165007	HP Enclosure C7000 incl.: 2x 432904-001 Cisco 3020, 16x Blade 460C Gen9, 2x Xeon E5-2690 v4 (14C, 2.6GHz), 128GB (8x16GB), 2x 480GB SATA SSD	**12859.00**	**12759.00**
168165008	HP Enclosure C7000 incl.: 2x 432904-001 Cisco 3020, 16x Blade 460C Gen9, 2x Xeon E5-2699 v4 (22C, 2.2GHz), 256GB (8x32GB), 1x 800GB SATA SSD (HP)	**24009.00**	**23909.00**
168165003	HP Enclosure C7000 incl.: 2x 432904-001 Cisco 3020, 16x Blade 460C Gen9, 2x Xeon E5-2690 v4 (14C, 2.6GHz), 256GB (8x32GB), 1x 1.92TB SATA SSD (HP)	**26509.00**	**26409.00**

HP C7000 16-Bay Blade BL460c Gen10

Model:	**HP C7000 16-Bay Blade BL460c Gen10**	**Garantie Refurb:**	**2 Jaar pick-up en return**	**Raid:**	**Optional (0, 1, 5, 10 per blade)**
Behuizing:	**10U Rackmount Enclosure**	**HDD type:**	**SSD (SATA or NVMe), SAS/SATA 2.5"**	**Netwerk:**	**Integrated Intel chipset, Gigabit /10GbE options, 2x RJ-45 ports per blade**
Processor max:	**Up to 2x per BL460c server (total 32 CPUs across 16 blades)**	**HDD max:**	**2x 2.5" SFF drives per blade; total 32x 2.5" across 16 blades**	**Stroomvoorziening:**	**6x 2400W Hot-Plug**
Processor type:	**Intel Xeon Scalable Processors Gold 61xx/62xx Family**	**Blade Bays:**	**16x HPE ProLiant BL460c Gen10 server blades**	**Afmetingen:**	**44.5 x 73.0 x 81.3 cm**
Geheugen type:	**DDR4 ECC RDIMM/LRDIMM: Gold Gen1: 2666MHz, Gold Gen2: 2933MHz**	**Power Modules:**	**6x Hot-plug power modules**	**Gewicht:**	**92 kg**
Geheugen max:	**16 slots per BL460c; max 1.5TB per blade (24TB total with LRDIMM)**	**Ext. Ports:**	**USB, VGA, Serial, iLO Management Port (per blade)**	**Specificaties:**	**HP C7000 16-Bay Blade BL460c Gen10**

Model	Omschrijving	1+	5+
168174008	HPE Enclosure C7000 incl.: 2x 504624-001 HP 10Gb Passthru, 16x Blade 460C Gen10, 2x Xeon Gold 6148 (20C, 2.4GHz), 128GB (4x32GB), 2x 480GB SATA SSD, P204i-B SR, 10Gb Onboard, Rail Kit	**7429.00**	**7329.00**
168174006	HPE Enclosure C7000 incl.: 2x 504624-001 HP 10Gb Passthru, 16x Blade 460C Gen10, 2x Xeon Gold 6254 (18C, 3.1GHz), 128GB (4x32GB), 2x 960GB SATA SSD, P204i-B SR, 10Gb Onboard, Rail Kit	**13089.00**	**12989.00**
168174007	HPE Enclosure C7000 incl.: 2x 504624-001 HP 10Gb Passthru, 16x Blade 460C Gen10, 2x Xeon Gold 6248R (24C, 3.0GHz), 256GB (8x32GB), 2x 960GB SATA SSD, P204i-B SR, 10Gb Onboard, Rail Kit	**17249.00**	**17149.00**

HPE Proliant DL380 Gen9

Model:	**HPE ProLiant DL380 Gen9**	**HDD type:**	**SSD (SATA or NVMe), SATA 3.5, SAS 3.5 (Optional)**	**Netwerk:**	**Integrated Intel I219LM, Gigabit Ethernet, 1x RJ-45 port**
Behuizing:	**2U Rackmount**	**HDD max:**	**up to 48TB SATA 3.5"**	**Stroomvoorziening:**	**2x 800W Hot-Plug, Redundant**
Processor max:	**2x**	**Disk Bays:**	**4x Internal 3.5"; 2x External 5.25”; Slimline Optical**	**Rails:**	**Included**
Processor type:	**Intel Xeon E5 v4 Family (Broadwell-EP, 4th Gen)**	**Optisch:**	**Optioneel (DVD-RW Slimline via Universal Media Bay)**	**Afmetingen:**	**8.7 x 44.5 x 73.0 cm**
Geheugen type:	**DDR4 ECC RDIMM: Xeon E5 v4: 2400MHz**	**Ext. Ports:**	**2x USB 3.0, 1x VGA, 1x Serial, 1x iLO Management Port**	**Gewicht:**	**66.68 kg**
Geheugen max:	**16 slots, up to 512GB DDR4 RDIMM (expandable with LRDIMM to 3TB)**	**SAS Controller:**	**HPE Smart Array P440ar, 2GB Cache**	**Specificaties:**	**HPE ProLiant DL380 Gen9**
Garantie Refurb:	**2 Jaar pick-up en return**	**Raid:**	**0, 1, 5, 6, 10, 50, 60**		

Model	Omschrijving	1+	5+
168168022	HPE ProLiant DL380 Gen9, 2x Xeon E5-2690 v4 (14C, 2.6GHz), 64GB (4x16GB), 3x 480GB SATA SSD, P440 2GB Smart Array, 2x PSU, Rails	**859.00**	**834.00**
168168002	HPE ProLiant DL380 Gen9, 2x Xeon E5-2690 v4 (14C, 2.6GHz), 64GB (4x16GB), 3x 1.92TB SATA SSD, P440 2GB Smart Array, 2x PSU, Rails	**1369.00**	**1319.00**
168168023	HP ProLiant DL380 Gen9 8SFF, 2x Xeon E5-2699 v4 (22C, 2.2GHz), 128GB (8x16GB), 3x 1.92TB SAS SSD, P440 2GB Smart Array, 2x PSU, Rails	**1789.00**	**1689.00**
168168007	HPE ProLiant DL380 Gen9 8SFF, 2x Xeon E5-2690 v4 (14C, 2.6GHz), 128GB (8x16GB), 3x 3.84TB SATA SSD, P440 2GB Smart Array, 2x PSU, Rails	**2159.00**	**2059.00**
168168003	HPE ProLiant DL380 Gen9 24SFF, 2x Xeon E5-2690 v4 (14C, 2.6GHz), 64GB (4x16GB), 24x 960GB SATA SSD, P440 2GB Smart Array, 2x PSU, Rails	**4779.00**	**4679.00**

HPE Proliant ML350 Gen9

Model:	**HPE ProLiant ML350 Gen9**	**HDD type:**	**SSD (SATA or NVMe), SATA 3.5, SAS 3.5 (Optional)**	**Netwerk:**	**Integrated Intel I219LM, Gigabit Ethernet, 2x RJ-45 ports**
Behuizing:	**Tower (Convertible to 5U Rackmount)**	**HDD max:**	**Up to 96TB SATA 3.5"**	**Stroomvoorziening:**	**2x 800W Hot-Plug PSU, Redundant**
Processor max:	**2x**	**Disk Bays:**	**12x Internal 3.5" LFF; optional expansion to 24x SFF**	**Rails:**	**Included**
Processor type:	**Intel Xeon E5 v4 Family (Broadwell-EP, 4th Gen) – E5-2690 v4**	**Optisch:**	**Optioneel (DVD-RW Slimline or Blu-ray)**	**Afmetingen:**	**44.5 x 17.5 x 73.0 cm**
Geheugen type:	**DDR4 ECC RDIMM: Xeon E5 v4: 2400MHz**	**Ext. Ports:**	**2x USB 3.0, 1x VGA, 1x Serial, 1x iLO Management Port**	**Gewicht:**	**28 kg**
Geheugen max:	**24 slots, up to 768GB DDR4 RDIMM (expandable with LRDIMM to 3TB)**	**SAS Controller:**	**HPE Smart Array P440, 2GB Cache**	**Specificaties:**	**HPE ProLiant ML350 Gen9**
Garantie Refurb:	**2 Jaar pick-up en return**	**Raid:**	**0, 1, 5, 6, 10, 50, 60**		

Model	Omschrijving	1+	5+
168157000	HPE ProLiant ML350 Gen9, 2x Xeon E5-2690 v4 (14C, 2.6GHz), 128GB (8x16GB), 3x 1.92TB SATA SSD, P440 2GB Smart Array, 2x PSU	**1589.00**	**1539.00**

HPE Proliant DL360 Gen9

Model:	**HPE ProLiant DL360 Gen9**	**HDD type:**	**SSD (SATA or NVMe), SATA 2.5, SAS 2.5 (Optional)**	**Netwerk:**	**Integrated Intel I219LM, Gigabit Ethernet, 2x RJ-45 ports**
Behuizing:	**1U Rackmount**	**HDD max:**	**Up to 38TB SATA 2.5"**	**Stroomvoorziening:**	**2x 500W Hot-Plug, Redundant**
Processor max:	**2x**	**Disk Bays:**	**8x Internal 2.5" SFF; 2x External 5.25"**	**Rails:**	**Included**
Processor type:	**Intel Xeon E5 v4 Family (Broadwell-EP, 4th Gen)**	**Optisch:**	**Optioneel (DVD-RW Slimline or Blu-ray)**	**Afmetingen:**	**4.3 x 44.5 x 73.0 cm**
Geheugen type:	**DDR4 ECC RDIMM: Xeon E5 v4: 2400MHz**	**Ext. Ports:**	**4x USB 3.0, 1x VGA, 1x Serial, 1x iLO Management Port**	**Gewicht:**	**13.6 kg**
Geheugen max:	**24 slots, up to 768GB DDR4 RDIMM (expandable with LRDIMM to 1.5TB)**	**SAS Controller:**	**HPE Smart Array P440ar, 2GB Cache**	**Specificaties:**	**HPE ProLiant DL360 Gen9**
Garantie Refurb:	**2 Jaar pick-up en return**	**Raid:**	**0, 1, 5, 6, 10, 50, 60**		

Model	Omschrijving	1+	5+
168148009	HPE ProLiant DL360 Gen9 8SFF, 2x Xeon E5-2690 v4 (14C, 2.6GHz), 128GB (8x16GB), 3x 800GB SATA SSD, P440 2GB Smart Array, 2x PSU, Rails	**749.00**	**724.00**
261648092	HPE ProLiant DL360 Gen9 8SFF, 2x Xeon E5-2690 v4 (14C, 2.6GHz), 128GB (8x16GB), 3x 1.92TB SATA SSD, P440 2GB Smart Array, 2x PSU, Rails	**1639.00**	**1539.00**
261648093	HPE ProLiant DL360 Gen9 8SFF, 2x Xeon E5-2690 v4 (14C, 2.6GHz), 128GB (8x16GB), 3x 3.84TB SAS SSD, P440 2GB Smart Array, 2x PSU, Rails	**2249.00**	**2149.00**
168148000	HPE ProLiant DL360 Gen9 8SFF, 2x Xeon E5-2690 v4 (14C, 2.6GHz), 128GB (8x16GB), 8x 1.92TB SATA SSD (PAR), P440 2GB Smart Array, 2x PSU, Rails	**2989.00**	**2889.00**

HPE Proliant ML350 Gen10

Model:	**HPE ProLiant ML350 Gen10**	**HDD type:**	**SSD (SATA or NVMe), SAS/SATA 3.5", SAS/SATA 2.5" (Optional NVMe SFF)**	**Netwerk:**	**Integrated Intel I350, Gigabit Ethernet, 4x RJ-45 ports**
Behuizing:	**5U Tower (Rack Convertible)**	**HDD max:**	**up to 96TB SAS/SATA 3.5"; up to 61TB SATA SSD**	**Stroomvoorziening:**	**2x 800W Hot-Plug, Redundant**
Processor max:	**2x**	**Disk Bays:**	**8x LFF internal; up to 24x SFF optional**	**Rails:**	**Included**
Processor type:	**Intel Xeon Scalable Processors 1st /2nd Gen**	**Optisch:**	**Optioneel (Slimline DVD-RW / DVD-ROM)**	**Afmetingen:**	**46 x 22 x 73.0 cm**
Geheugen type:	**DDR4 ECC RDIMM: Xeon Scalable Gen1: 2666MHz, Xeon Scalable Gen2: 2933MHz**	**Ext. Ports:**	**4x USB 3.0, 1x VGA, 1x Serial, 1x iLO Management Port**	**Gewicht:**	**29.5 kg**
Geheugen max:	**24 slots, up to 768GB DDR4 RDIMM (expandable with LRDIMM to 3TB)**	**SAS Controller:**	**HPE Smart Array P408i-a SR Gen10, 2GB Cache**	**Specificaties:**	**HPE ProLiant ML350 Gen10**
Garantie Refurb:	**2 Jaar pick-up en return**	**Raid:**	**0, 1, 5, 6, 10, 50, 60**		

Model	Omschrijving	1+	5+
168135016	HPE ProLiant ML350 Gen10, 2x Xeon Gold 6240R (24C, 2.4GHz), 128GB (4x32GB), 1x 1.92TB SAS SSD, P408 4GB Smart Array, 2x PSU	**1779.00**	**1679.00**
168135014	HPE ProLiant ML350 Gen10, 2x Xeon Gold 6248 (20C, 2.5GHz), 128GB (4x32GB), 3x 1.92TB SAS SSD, P408 4GB Smart Array, 2x PSU	**2269.00**	**2169.00**
168135013	HPE ProLiant ML350 Gen10, 2x Xeon Gold 6240R (24C, 2.4GHz), 256GB (8x32GB), 3x 1.92TB SAS SSD, P408 4GB Smart Array, 2x PSU	**3279.00**	**3179.00**
168135012	HPE ProLiant ML350 Gen10, 2x Xeon Gold 6254 (18C, 3.1GHz), 256GB (8x32GB), 3x 1.92TB SAS SSD, P408 4GB Smart Array, 2x PSU	**3309.00**	**3209.00**

HPE Proliant DL360 Gen10

Model:	**HPE ProLiant DL360 Gen10**	**HDD type:**	**SSD (SATA or NVMe), SAS/SATA 2.5", SAS/SATA 3.5" (Optional)**	**Netwerk:**	**Integrated Intel I350, Gigabit Ethernet, 4x RJ-45 ports**
Behuizing:	**1U Rackmount**	**HDD max:**	**Up to 10x 2.5" SFF or 4x 3.5" LFF (up to 48TB SATA 3.5")**	**Stroomvoorziening:**	**2x 800W Hot-Plug, Redundant**
Processor max:	**2x**	**Disk Bays:**	**10x Internal 2.5" SFF; 4x Internal 3.5" LFF**	**Rails:**	**Included**
Processor type:	**Intel Xeon Scalable Processors Gold 61xx/62xx Family**	**Optisch:**	**Optioneel (Slimline DVD-RW / DVD-ROM)**	**Afmetingen:**	**4.29 x 43.46 x 70.7 cm**
Geheugen type:	**DDR4 ECC RDIMM/LRDIMM: Gold Gen1: 2666MHz / Gold Gen2: 2933MHz**	**Ext. Ports:**	**2x USB 3.0, 1x VGA, 1x Serial, 1x iLO 5 Management Port**	**Gewicht:**	**13.5 kg**
Geheugen max:	**24 slots, up to 3TB DDR4 LRDIMM**	**SAS Controller:**	**HPE Smart Array P408i-a/2GB Cache**	**Specificaties:**	**HPE ProLiant DL360 Gen10**
Garantie Refurb:	**2 Jaar pick-up en return**	**Raid:**	**0, 1, 5, 6, 10, 50, 60 (via P408i-a); Software RAID 0/1/10 (embedded)**		

Model	Omschrijving	1+	5+
168172031	HPE ProLiant DL360 Gen10, 2x Xeon Gold 6148 (20C, 2.4GHz), 128GB (8x16GB), 3x 480GB SATA SSD, P408i-a 2GB Smart Array, 2x PSU, Rails	**1689.00**	**1589.00**
168181050	HPE ProLiant DL360 Gen10, 2x Xeon Gold 6240R (24C, 2.4GHz), 128GB (8x16GB), 3x 1.92TB SATA SSD, P408i-a 2GB Smart Array, 2x PSU, Rails	**2389.00**	**2289.00**
168172006	HPE ProLiant DL360 Gen10, 2x Xeon Gold 6234 (8C, 3.3GHz), 256GB (8x32GB), 3x 1.92TB SATA SSD, P408i-a 2GB Smart Array, 2x PSU, Rails	**3109.00**	**3009.00**
168172013	HPE ProLiant DL360 Gen10, 2x Xeon Gold 6254 (18C, 3.1GHz), 256GB (8x32GB), 3x 1.92TB SATA SSD, P408i-a 2GB Smart Array, 2x PSU, Rails	**3279.00**	**3179.00**
168172028	HPE ProLiant DL360 Gen10, 2x Xeon Gold 6254 (18C, 3.1GHz), 256GB (8x32GB), 3x 7.68TB SAS SSD, P408i-a 2GB Smart Array, 2x PSU, Rails	**5509.00**	**5409.00**
168172015	HPE ProLiant DL360 Gen10 10SFF NVMe, 2x Xeon Gold 6254 (18C, 3.1GHz), 256GB (8x32GB), 10x 1.92TB NVMe SSD, Software RAID, 2x PSU, Rails	**5649.00**	**5549.00**

HPE Proliant DL380 Gen10 SFF

Model:	**HPE ProLiant DL380 Gen10 SFF**	**HDD type:**	**SSD (SATA or NVMe), SAS/SATA 2.5"**	**Netwerk:**	**Integrated Intel I350, Gigabit Ethernet, 4x RJ-45 ports**
Behuizing:	**2U Rackmount**	**HDD max:**	**Up to 20x 2.5" SFF (up to 61TB SATA SSD)**	**Stroomvoorziening:**	**2x 800W Hot-Plug, Redundant**
Processor max:	**2x**	**Disk Bays:**	**20x Internal 2.5" SFF**	**Rails:**	**Included**
Processor type:	**Intel Xeon Scalable Processors Gold 61xx/62xx Family**	**Optisch:**	**Optioneel (Slimline DVD-RW / DVD-ROM)**	**Afmetingen:**	**8.7 x 44.5 x 73.0 cm**
Geheugen type:	**DDR4 ECC RDIMM/LRDIMM: Gold Gen1: 2666MHz / Gold Gen2: 2933MHz**	**Ext. Ports:**	**2x USB 3.0, 1x VGA, 1x Serial, 1x iLO 5 Management Port**	**Gewicht:**	**17.8 kg**
Geheugen max:	**24 slots, up to 3TB DDR4 LRDIMM**	**SAS Controller:**	**HPE Smart Array P408i-a SR Gen10 (12Gb SAS)**	**Specificaties:**	**HPE ProLiant DL380 Gen10**
Garantie Refurb:	**2 Jaar pick-up en return**	**Raid:**	**0, 1, 5, 6, 10, 50, 60**		

Model	Omschrijving	1+	5+
168181020	HPE ProLiant DL380 Gen10 8SFF, 2x Xeon Gold 6248 (20C, 2.5GHz), 256GB (16x16GB), 3x 960GB SATA SSD, P408i-a 2GB Smart Array, 2x PSU, Rails	**2979.00**	**2879.00**
168181011	HPE ProLiant DL380 Gen10, 2x Xeon Gold 6234 (8C, 3.3GHz), 256GB (8x32GB), 3x 1.92TB SATA SSD, P408i-a 2GB Smart Array, 2x PSU, Rails	**3109.00**	**3009.00**
261663027	HPE ProLiant DL380 Gen10 8SFF, 2x Xeon Gold 6242 (16C, 2.8GHz), 256GB (16x16GB), 3x 1.92TB SATA SSD, P408i-a 2GB Smart Array, 2x PSU, Rails	**3199.00**	**3099.00**
261663028	HPE ProLiant DL380 Gen10, 2x Xeon Gold 6240R (24C, 2.4GHz), 128GB (8x16GB), 3x 1.92TB SATA SSD, P408i-a 2GB Smart Array, 2x PSU, Rails	**3369.00**	**3269.00**
168181030	HPE ProLiant DL380 Gen10 8SFF, 2x Xeon Gold 6248R (24C, 3.0GHz), 256GB (8x32GB), 3x 3.84TB SATA SSD, P408i-a 2GB Smart Array, 2x PSU, Rails	**4059.00**	**3959.00**
168181054	HPE ProLiant DL380 Gen10 8SFF, 2x Xeon Gold 6248R (24C, 3.0GHz), 256GB (8x32GB), 3x 7.68TB SAS SSD, P408i-a 2GB Smart Array, 2x PSU, Rails	**5779.00**	**5679.00**

HPE Proliant DX380 Gen10 SFF

Model:	**HPE ProLiant DX380 Gen10 SFF**	**HDD type:**	**SSD (SATA or NVMe), SAS/SATA 2.5"**	**Netwerk:**	**Integrated Intel I350, Gigabit Ethernet, 4x RJ-45 ports**
Behuizing:	**2U Rackmount**	**HDD max:**	**Up to 20x 2.5" SFF (up to 61TB SATA SSD)**	**Stroomvoorziening:**	**2x 800W Hot-Plug, Redundant**
Processor max:	**2x**	**Disk Bays:**	**20x Internal 2.5" SFF**	**Rails:**	**Included**
Processor type:	**Intel Xeon Scalable Processors 2nd Gen (Gold 62xx)**	**Optisch:**	**Optioneel (Slimline DVD-RW / DVD-ROM)**	**Afmetingen:**	**8.7 x 44.5 x 73.0 cm**
Geheugen type:	**DDR4 ECC RDIMM/LRDIMM: Gold Gen2: 2933MHz**	**Ext. Ports:**	**2x USB 3.0, 1x VGA, 1x Serial, 1x iLO 5 Management Port**	**Gewicht:**	**20.4 kg**
Geheugen max:	**24 slots, up to 3TB DDR4 LRDIMM**	**SAS Controller:**	**HPE Smart Array P408i-a SR Gen10 (12Gb SAS)**	**Specificaties:**	**HPE ProLiant DX380 Gen10 SFF**
Garantie Refurb:	**2 Jaar pick-up en return**	**Raid:**	**0, 1, 5, 6, 10, 50, 60**		

Model	Omschrijving	1+	5+
168177001	HPE ProLiant DX380 Gen10, 2x Xeon Gold 6254 (18C, 3.1GHz), 256GB (8x32GB), 3x 3.84TB SAS SSD, P408i-a 2GB Smart Array, 2x PSU, Rails	**3889.00**	**3789.00**
168177003	HPE ProLiant DX380 Gen10, 2x Xeon Gold 6248R (24C, 3.0GHz), 256GB (8x32GB), 3x 3.84TB SAS SSD, P408i-a 2GB Smart Array, 2x PSU, Rails	**4159.00**	**4059.00**
168177002	HPE ProLiant DX380 Gen10, 2x Xeon Gold 6254 (18C, 3.1GHz), 256GB (8x32GB), 3x 7.68TB SAS SSD, P408i-a 2GB Smart Array, 2x PSU, Rails	**5509.00**	**5409.00**

HPE Proliant DL360 Gen10 Plus (Refurb)

Model:	**HPE ProLiant DL360 Gen10 Plus**	**HDD type:**	**SSD (SATA or NVMe), SAS/SATA 2.5"**	**Netwerk:**	**Integrated Intel I350-AM4, 1GbE, 4x RJ-45 ports**
Behuizing:	**1U Rackmount**	**HDD max:**	**Up to 8x 2.5" SFF (up to 24TB SATA SSD)**	**Stroomvoorziening:**	**2x 800W Hot-Plug, Redundant**
Processor max:	**2x**	**Disk Bays:**	**8x Internal 2.5" SFF; 1x External Slimline Optical**	**Rails:**	**Included**
Processor type:	**Intel Xeon Scalable Processors 3rd Gen (Silver Series)**	**Optisch:**	**Optioneel (Slimline DVD-RW / DVD-ROM)**	**Afmetingen:**	**4.29 x 43.46 x 70.7 cm**
Geheugen type:	**DDR4 ECC RDIMM/LRDIMM: Silver Gen3: 3200MHz**	**Ext. Ports:**	**5x USB 3.0, 1x VGA, 1x Serial, 1x iLO 5 Management Port**	**Gewicht:**	**14.5 kg**
Geheugen max:	**32 slots, up to 4TB DDR4 LRDIMM**	**SAS Controller:**	**HPE Smart Array MR416i-a/4GB (12Gb SAS)**	**Specificaties:**	**HPE ProLiant DL360 Gen10 Plus**
Garantie Refurb:	**2 Jaar pick-up en return**	**Raid:**	**0, 1, 5, 6, 10, 50, 60**		

Model	Partno	Omschrijving	1+	5+
168140032	P55273R-421	HPE ProLiant DL360 Gen10 Plus 8SFF, 1x Xeon Silver 4309Y (8C, 2.8GHz), 32GB (1x32GB), MR416i-a NC Smart Array, 1x PSU, Rails	**1809.00**	**1709.00**
168140035		HPE ProLiant DL360 Gen10 Plus 8SFF, 2x Xeon Gold 5318N (24C, 2.1GHz), 128GB (4x32GB), 3x 1.92TB SAS NVME SSD, MR416i-a NC Smart Array, 2x PSU, Rails	**4779.00**	**4679.00**
168140036		HPE ProLiant DL360 Gen10 Plus 8SFF, 2x Xeon Gold 5318N (24C, 2.1GHz), 128GB (4x32GB), 3x 3.84TB SAS NVME SSD, MR416i-a NC Smart Array, 2x PSU, Rails	**5469.00**	**5369.00**
168140038		HPE ProLiant DL360 Gen10 Plus 8SFF, 2x Xeon Gold 6342 (24C, 2.8GHz), 128GB (4x32GB), 3x 3.84TB SAS NVME SSD, MR416i-a NC Smart Array, 2x PSU, Rails	**7359.00**	**7259.00**

HPE Proliant DL360 Gen11 (New)

Model:	**HPE ProLiant DL360 Gen11**	**HDD type:**	**SSD (SATA, NVMe), SAS/SATA 2.5"**	**Netwerk:**	**Integrated Intel I350-AM4 chipset, 1GbE, 4x RJ-45 ports**
Behuizing:	**1U Rackmount**	**HDD max:**	**Up to 8x 2.5" SFF (NVMe/SAS/SATA mix)**	**Stroomvoorziening:**	**2x 1000W Hot-Plug, Redundant**
Processor max:	**2x**	**Disk Bays:**	**8x Internal 2.5" SFF; optional EDSFF NVMe**	**Rails:**	**Included**
Processor type:	**Intel Xeon Scalable Processors (Gold 4th Gen / Silver 5th Gen)**	**Optisch:**	**Optioneel (Slimline DVD-RW / DVD-ROM)**	**Afmetingen:**	**4.29 x 43.46 x 70.7 cm**
Geheugen type:	**DDR5 ECC RDIMM: Gold 4th Gen: 4800MHz / Silver 5th Gen: 4800MHz**	**Ext. Ports:**	**5x USB 3.0, 1x VGA, 1x Serial, 1x iLO 6 Management Port**	**Gewicht:**	**15 kg**
Geheugen max:	**16 slots, up to 8TB DDR5 LRDIMM**	**SAS Controller:**	**HPE Smart Array MR408i-o Gen11 (12Gb SAS)**	**Specificaties:**	**HP ProLiant DL360 Gen11**
Garantie Nieuw:	**3 Jaar onsite NBD**	**Raid:**	**0, 1, 5, 6, 10, 50, 60**		

Model	Partno	Omschrijving	1+	5+
168147016	P77247-425	HPE ProLiant DL360 Gen11 8SFF, 1x Xeon Silver 4510Y (12C, 2.4GHz), 64GB (2x32GB), MR408i-o 4GB SAS/SATA /NVMe, 1x PSU, Rails, 10Gb Ethernet	**6519.00**	**6419.00**

HPE Proliant DL380 Gen10 Plus (Refurb)

Model:	**HPE ProLiant DL380 Gen10 Plus**	**HDD type:**	**SSD (SATA or NVMe), SAS/SATA 2.5", SAS/SATA 3.5" (Optional)**	**Netwerk:**	**Integrated Intel I350-AM4 chipset, 1GbE, 4x RJ-45 ports; Optional HPE FlexibleLOM/OCP 3.0 adapters with 10GbE SFP+**
Behuizing:	**2U Rackmount**	**HDD max:**	**Up to 48TB SATA 3.5"**	**Stroomvoorziening:**	**2x 800W Hot-Plug PSU, Redundant**
Processor max:	**2x**	**Disk Bays:**	**8x Internal 2.5" SFF; Slimline Optical**	**Rails:**	**Included**
Processor type:	**Intel Xeon Scalable Processors Silver 3rd Gen**	**Optisch:**	**Optioneel (DVD-ROM/DVD-RW via Universal Media Bay only)**	**Afmetingen:**	**8.7 x 44.5 x 73.0 cm**
Geheugen type:	**DDR4 ECC RDIMM: Silver Gen3: 3200MHz**	**Ext. Ports:**	**5x USB 3.0, 1x VGA, 1x Serial, 1x iLO 5 Management Port**	**Gewicht:**	**16 kg**
Geheugen max:	**32 slots, up to 4TB DDR4 LRDIMM**	**SAS Controller:**	**HPE Smart Array MR416i-a/4GB SAS /SATA/NVMe and SR416i-a**	**Specificaties:**	**HPE ProLiant DL380 Gen10 Plus**
Garantie Refurb:	**2 Jaar pick-up en return**	**Raid:**	**0, 1, 5, 6, 10, 50, 60**		

Model	Partno	Omschrijving	1+	5+
168148014	P55277R-421	HPE ProLiant DL380 Gen10 Plus 8SFF, 1x Xeon Silver 4309Y (8C, 2.8GHz), 32GB (1x32GB), S100i NC, 1x PSU, Rails, 10Gb Ethernet	**1759.00**	**1659.00**
168148015	P55278R-421	HPE ProLiant DL380 Gen10 Plus 8SFF, 1x Xeon Silver 4309Y (8C, 2.8GHz), 32GB (1x32GB), MR416i-p 4GB SAS/SATA /NVMe, 1x PSU, Rails, 10Gb Ethernet	**1949.00**	**1849.00**

HPE Proliant DL380 Gen11

Model:	**HPE ProLiant DL380 Gen11**	**HDD type:**	**SSD (SATA/NVMe), SAS/SATA 2.5", SAS/SATA 3.5" (Optional)**	**Netwerk:**	**Integrated Intel I350-AM4 chipset, 1GbE, 4x RJ-45 ports; Optional OCP 3.0 adapters with 10GbE /25GbE/100GbE**
Behuizing:	**2U Rackmount**	**HDD max:**	**Up to 48TB SATA 3.5" or mixed NVMe /SAS/SATA depending on chassis (SFF /LFF/EDSFF)**	**Stroomvoorziening:**	**2x 1000W Hot-Plug PSU, Redundant**
Processor max:	**2x**	**Disk Bays:**	**8x or 12x Internal SFF; 12x LFF; optional EDSFF NVMe**	**Rails:**	**Included**
Processor type:	**Intel Xeon Scalable Processors Gold /Silver 4th & 5th Gen**	**Optisch:**	**Optioneel (DVD-ROM/DVD-RW via Universal Media Bay only)**	**Afmetingen:**	**8.7 x 44.5 x 73.0 cm**
Geheugen type:	**DDR5 ECC RDIMM, 4800MHz**	**Ext. Ports:**	**5x USB 3.0, 1x VGA, 1x Serial, 1x iLO 6 Management Port**	**Gewicht:**	**16 kg**
Geheugen max:	**32 slots, up to 8 TB DDR5 RDIMM**	**SAS Controller:**	**HPE Smart Array MR408i-o Gen11 (12Gb SAS/SATA/NVMe); MR416i-o/p options available**	**Specificaties:**	**HPE ProLiant DL380 Gen11**
Garantie Nieuw:	**3 Jaar onsite NBD**	**Raid:**	**0, 1, 5, 6, 10, 50, 60**		

Model	Partno	Omschrijving	1+	5+
168148048	P81786-425	HPE ProLiant DL380 Gen11 8SFF, 1x Xeon Silver 4516Y (24C, 2.2GHz), 64GB (2x32GB), MR408i-o 4GB Smart Array, 2x PSU, Rails, 10Gb Ethernet	**7829.00**	**7729.00**

HPE Proliant ML350 Gen11

Model:	**HPE ProLiant ML350 Gen11**	**HDD type:**	**SSD (NVMe/PCIe), SAS/SATA SFF, optional LFF**	**Netwerk:**	**Intel C741 chipset, Gigabit Ethernet, 4 Ports**
Behuizing:	**5U Tower(Convertible to Rack)**	**HDD max:**	**up to 184TB SAS/SATA SFF**	**Stroomvoorziening:**	**2x 800W Flex Slot Platinum Hot-Plug, Redundant**
Processor max:	**2x**	**Disk Bays:**	**8x Internal 2.5" SFF; Slimline Optical**	**Rails:**	**Included**
Processor type:	**Intel Xeon Scalable Processors Silver 4th Gen**	**Optisch:**	**Optioneel (Slimline DVD-RW / DVD-ROM)**	**Afmetingen:**	**46.2 x 17.5 x 65.0 cm**
Geheugen type:	**DDR5 ECC RDIMM: Silver Gen4: 4800MHz**	**Ext. Ports:**	**6x USB (4x USB 3.2 Gen1, 2x USB 2.0), 1x VGA, 1x Serial, 1x iLO Management Port**	**Gewicht:**	**29 kg**
Geheugen max:	**32 slots, up to 8TB DDR5 RDIMM**	**SAS Controller:**	**HPE Smart Array MR416i-a/4GB SAS /SATA/NVMe and SR416i-a**	**Specificaties:**	**HPE ProLiant ML350 Gen11**
Garantie Nieuw:	**3 Jaar onsite NBD**	**Raid:**	**0, 1, 5, 6, 10, 50, 60**		

Model	Partno	Omschrijving	1+	5+
168158009	P53565-421	HPE ProLiant ML350 Gen11 Tower 4LFF, 1x Xeon Silver 4410Y (12C, 2.0GHz), 32GB (1x32GB), Embedded Intel VROC SATA Controller, 1x PSU, Rails, 10Gb Ethernet	**4879.00**	**4779.00**

HPE Proliant DL360 Gen12

Model:	**HPE ProLiant DL360 Gen12 (New)**	**HDD type:**	**SSD (NVMe/PCIe), SAS/SATA SFF, optional LFF**	**Netwerk:**	**Intel C741 chipset, Gigabit Ethernet, 4 Ports**
Behuizing:	**1U Rackmount**	**HDD max:**	**Up to 184TB SAS/SATA SFF**	**Stroomvoorziening:**	**2x 1000W Flex Slot Platinum Hot-Plug, Redundant**
Processor max:	**2x**	**Disk Bays:**	**8x Internal 2.5" SFF; Slimline Optical**	**Rails:**	**Included**
Processor type:	**Intel Xeon Scalable Processors (5th Gen)**	**Optisch:**	**Optioneel (Slimline DVD-RW / DVD-ROM)**	**Afmetingen:**	**4.29 x 43.46 x 70.7 cm**
Geheugen type:	**DDR5 ECC RDIMM, up to 4800MHz**	**Ext. Ports:**	**6x USB (4x USB 3.2 Gen1, 2x USB 2.0), 1x VGA, 1x Serial, 1x iLO Management Port**	**Gewicht:**	**14.5 kg**
Geheugen max:	**32 DIMM slots, max 8TB DDR5**	**SAS Controller:**	**HPE Smart Array MR416i-a/4GB SAS /SATA/NVMe and SR416i-a**	**Specificaties:**	**HPE ProLiant DL360 Gen12 (New)**
Garantie Nieuw:	**3 Jaar onsite NBD**	**Raid:**	**0, 1, 5, 6, 10, 50, 60**		

Model	Omschrijving	1+	5+
168186001	HPE ProLiant DL360 Gen12, 1x Xeon Gold 6505P (12C, 2.2GHz), 64GB (2x32GB), 2x 480GB SATA SSD, MR408i-o 4GB Smart Array, 2x PSU, Rails, 10Gb Ethernet	**8109.00**	**8009.00**

HPE Proliant DL380 Gen12

Model:	**HPE ProLiant DL380 Gen12 (New)**	**HDD type:**	**SSD (NVMe/PCIe), SAS/SATA SFF, optional LFF/EDSFF**	**Netwerk:**	**Intel C741 chipset, Gigabit Ethernet, 4 Ports (OCP 3.0 slots)**
Behuizing:	**2U Rackmount**	**HDD max:**	**Up to 36 EDSFF or 24 SFF / 12 LFF**	**Stroomvoorziening:**	**2x 1000W Flex Slot Platinum Hot-Plug, Redundant**
Processor max:	**2x**	**Disk Bays:**	**12x Internal 3.5" LFF; 24x Internal 2.5" SFF; 36x EDSFF; Slimline Optical**	**Rails:**	**Included**
Processor type:	**Intel Xeon Scalable Processors (5th Gen)**	**Optisch:**	**Optioneel (Slimline DVD-RW / DVD-ROM)**	**Afmetingen:**	**8.7 x 44.5 x 73.0 cm**
Geheugen type:	**DDR5 ECC RDIMM, up to 6400MHz**	**Ext. Ports:**	**6x USB (4x USB 3.2 Gen1, 2x USB 2.0), 1x VGA, 1x Serial, 1x iLO Management Port**	**Gewicht:**	**21.6 kg**
Geheugen max:	**32 DIMM slots, max 8TB DDR5**	**SAS Controller:**	**HPE Smart Array MR416i-a/4GB SAS /SATA/NVMe and SR416i-a**	**Specificaties:**	**HPE ProLiant DL380 Gen12 (New)**
Garantie Nieuw:	**3 Jaar onsite NBD**	**Raid:**	**0, 1, 5, 6, 10, 50, 60**		

Model	Omschrijving	1+	5+
168187003	HPE ProLiant DL380 Gen12, 1x Xeon Gold 6505P (12C, 2.2GHz), 64GB (2x32GB), 2x 480GB SATA SSD, MR408i-o 4GB Smart Array, 2x PSU, Rails, 10Gb Ethernet	**8589.00**	**8489.00**
168187005	HPE ProLiant DL380 Gen12, 1x Xeon Gold 6507P (8C, 3.5GHz), 64GB (2x32GB), MR408i-o 4GB Smart Array, Rails, 2x PSU, 10Gb Ethernet	**8879.00**	**8779.00**

Opties

752371-081	HPE 16Gb DDR-4 PC4-2133P ECC Reg , Used	59.00
805349-B21	HPE 16GB 2Rx4 PC4-2400T-R Kit , Ref	69.00
805351-B21	HPE 32GB 2Rx4 PC4-2400T-R Kit , Ref	149.00
840758-091	HPE 32GB 2666MHZ PC4-21300 CL19 ECC REGISTERED 2Rx4 1.2V, Used	169.00
840759-091	HPE 64GB 2666MHZ PC4-21300 CL19 ECC REGISTERED 2Rx4 1.2V, Used	299.00
P03052-091	HPE 32GB DDR4 2Rx4 PC4-23466 2933Mhz 1.2V CL12 ECC Reg	275.00
P03053-0A1	HPE 64GB DDR4 2Rx4 PC4-23466 2933Mhz 1.2V CL21 ECC Reg	499.00
P11444-091	HPE 32GB DDR4 2Rx4 PC4-25600 3200Mhz 1.2V CL12 ECC Reg	299.00
P11446-0A1	HPE 64GB DDR4 2Rx4 PC4-25600 3200Mhz 1.2V CL12 ECC Reg	599.00
P21088-001	HP Hot Swap 480GB SATA 6G, Read Intensive , Used	149.00
879019-001	HPE Hotswap 1.92TB SATA SSD 6G 2.5 Read Intensive, Used	299.00
875873-001	HPE Hotswap 1.92TB NVMe SSD 2.5 , Used	299.00
P18633-001	HPE Hotswap 3.84TB 7.2K SATA SSD 6G RI 3.5 LFF Datacode 2021/2022	499.00
P13373-001	HPE Hotswap 7.68Tb SAS SSD 12G 2.5 Datacode 2021/2022	975.00
P49742-001	HPE 15.36TB 24Gb/s (2.5-inch) SC SAS SSD Datacode 2023, Health 99-100%	2076.00
P40502-B21	HPE Mixed Use - solid state drive - 480 GB - SATA 6Gb/s, New	399.00
P40503-B21	HPE Mixed Use - solid state drive - 960 GB - SATA 6Gb/s, New	649.00
P40504-B21	HPE Mixed Use - solid state drive - 1.92 TB - SATA 6Gb/s, New	1099.00
P40500-B21	HPE Read Intensive - solid state drive - 3.84 TB - SATA 6Gb/s, New	1299.00
	HPE MS Windows Server 2022 Standard - licentie - 16 cores	799.00
P77100-A21	HPE MS Windows Server 2025 Standard - licentie - 16 cores	906.00
P77112-B21	HPE MS Windows Server 2025 - licentie-om-te-gebruiken - 5 gebruikers-CALs	246.00
P77105-B21	HPE MS Windows Server 2025 Standard - extra licentie - 4 cores	267.00
P77104-B21	MS Windows Server 2025 Standard Additional License 16 cores - UK OEM	1042.00

Vraag onze verkopers naar de overige uitbreidingsmogelijkheden

NTS - Ambachtenstraat 9 - 4731 RE OUDENBOSCH - Nederland - Tel. +31 (0)165-319100
Bestellen/Offerte aanvraag: verkoop@nts.nl. - Overige informatie aanvraag: mailto:info@nts.nl
Afmelden emaillijst - Aanmelden emaillijst.
Alle prijzen zijn in Euro's, exclusief 21% BTW. Prijs- en modelwijzigingen / typefouten / specificatiefouten voorbehouden.